

FORM PTO-1390 (Modified)
(REV 11-2000)

U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

ATTORNEY'S DOCKET NUMBER

TRANSMITTAL LETTER TO THE UNITED STATES
DESIGNATED/ELECTED OFFICE (DO/EO/US)
CONCERNING A FILING UNDER 35 U.S.C. 371

BERN-0045

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR

09/913472

INTERNATIONAL APPLICATION NO.
PCT/US00/04438

INTERNATIONAL FILING DATE
22 February 2000

PRIORITY DATE CLAIMED
23 February 1999

TITLE OF INVENTION

System and Method for Evaluating Agents which Prevent Oxidative Damage

APPLICANT(S) FOR DO/EO/US

BERNSTEIN, Eric F.

Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:

1. ☒ This is a **FIRST** submission of items concerning a filing under 35 U.S.C. 371.
- ☐ This is a **SECOND** or **SUBSEQUENT** submission of items concerning a filing under 35 U.S.C. 371.
- ☐ This is an express request to begin national examination procedures (35 U.S.C. 371(f)). The submission must include items (5), (6), (9) and (24) indicated below.
- ☐ The US has been elected by the expiration of 19 months from the priority date (Article 31).
- ☒ A copy of the International Application as filed (35 U.S.C. 371 (c) (2))
 - a. ☐ is attached hereto (required only if not communicated by the International Bureau).
 - b. ☐ has been communicated by the International Bureau.
 - c. ☒ is not required, as the application was filed in the United States Receiving Office (RO/US).
- ☐ An English language translation of the International Application as filed (35 U.S.C. 371(c)(2)).
 - a. ☐ is attached hereto.
 - b. ☐ has been previously submitted under 35 U.S.C. 154(d)(4).
- ☒ Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371 (c)(3))
 - a. ☐ are attached hereto (required only if not communicated by the International Bureau).
 - b. ☐ have been communicated by the International Bureau.
 - c. ☐ have not been made; however, the time limit for making such amendments has NOT expired.
 - d. ☒ have not been made and will not be made.
- ☐ An English language translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
- ☒ An oath or declaration of the inventor(s) (35 U.S.C. 371 (c)(4)). - **unexecuted**
- ☐ An English language translation of the annexes of the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371 (c)(5)).
- ☒ A copy of the International Preliminary Examination Report (PCT/IPEA/409).
- ☒ A copy of the International Search Report (PCT/ISA/210).

Items 13 to 20 below concern document(s) or information included:


13. ☒ An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
14. ☐ An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included.
15. ☐ A **FIRST** preliminary amendment.
16. ☐ A **SECOND** or **SUBSEQUENT** preliminary amendment.
17. ☐ A substitute specification.
18. ☐ A change of power of attorney and/or address letter.
19. ☐ A computer-readable form of the sequence listing in accordance with 37 CFR 1.82.
20. ☐ A second copy of the published international application under 37 CFR 1.52.
21. ☐ A second copy of the English language translation of the international application.
22. ☐ Certificate of Mailing by Express Mail
23. ☒ Other items or information:

- 1) Courtesy copy of International Application
- 2) Copy of Written Opinion
- 3) Return post card

"Express Mail" Label No. **EL886701778US**
Date of Deposit **August 15, 2001**

I hereby certify that this paper is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Box PCT, Washington, D.C. 20231.

By Deborah Ehret
Typed Name: Deborah Ehret

U.S. APPLICATION NO. (IF KNOWN, SEE 37 CFR 1.53) 09/913472		INTERNATIONAL APPLICATION NO. PCT/US00/04438		ATTORNEY'S DOCKET NUMBER BERN-0045	
24. The following fees are submitted: BASIC NATIONAL FEE (37 CFR 1.492 (a) (1) - (5)) : <input type="checkbox"/> Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$1000.00 <input checked="" type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$860.00 <input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) not paid to USPTO but international search fee (37 CFR 1.445(a)(2)) paid to USPTO \$710.00 <input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) paid to USPTO but all claims did not satisfy provisions of PCT Article 33(1)-(4) \$690.00 <input type="checkbox"/> International preliminary examination fee (37 CFR 1.482) paid to USPTO and all claims satisfied provisions of PCT Article 33(1)-(4) \$100.00 ENTER APPROPRIATE BASIC FEE AMOUNT =				CALCULATIONS PTO USE ONLY	
Surcharge of \$130.00 for furnishing the oath or declaration later than months from the earliest claimed priority date (37 CFR 1.492 (e)). <input type="checkbox"/> 20 <input type="checkbox"/> 30				\$860.00	
Total claims: 2 - 20 = 0 RATE: x \$18.00				\$0.00	
Independent claims: 2 - 3 = 0 RATE: x \$80.00				\$0.00	
Multiple Dependent Claims (check if applicable). <input type="checkbox"/>				\$0.00	
TOTAL OF ABOVE CALCULATIONS =				\$860.00	
<input checked="" type="checkbox"/> Applicant claims small entity status. (See 37 CFR 1.27). The fees indicated above are reduced by 1/2.				\$430.00	
SUBTOTAL =				\$430.00	
Processing fee of \$130.00 for furnishing the English translation later than months from the earliest claimed priority date (37 CFR 1.492 (f)). <input type="checkbox"/> 20 <input type="checkbox"/> 30 +				\$0.00	
TOTAL NATIONAL FEE =				\$430.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31) (check if applicable). <input type="checkbox"/>				\$0.00	
TOTAL FEES ENCLOSED =				\$430.00	
Applicant, Eric F. Bernstein is entitled to small entity status. He is an independent inventor.				Amount to be: refunded \$ charged \$	
a. <input type="checkbox"/> A check in the amount of _____ to cover the above fees is enclosed. b. <input checked="" type="checkbox"/> Please charge my Deposit Account No. 50-1619 in the amount of \$430.00 to cover the above fees. A duplicate copy of this sheet is enclosed. c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 50-1619 A duplicate copy of this sheet is enclosed. d. <input type="checkbox"/> Fees are to be charged to a credit card. WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on PTO-2038.					
NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b)) must be filed and granted to restore the application to pending status.					
SEND ALL CORRESPONDENCE TO:					
Jane Massey Licata, Reg. No. 32,257 Kathleen A. Tyrrell, Reg. No. 38,350 Licata & Tyrrell P.C. 66 E. Main Street Marlton, New Jersey 08053 Telephone: (856) 810-1515 Facsimile : (856) 810-1454				SIGNATURE  Kathleen A. Tyrrell NAME 38,350 REGISTRATION NUMBER August 15, 2001 DATE	

WO 00/49876

PCT/US00/04438

- 1 -

SYSTEM AND METHOD FOR EVALUATING AGENTS WHICH PREVENT
OXIDATIVE DAMAGEBackground of the Invention

Chronic sun exposure eventuates in wrinkling, sagging,
5 pigmentary alterations, and skin cancers which are
characteristic of sun-damaged skin, and collectively referred
to as photoaging (Kligman, A. M. JAMA 210:2377-2380, 1969;
Gilchrest, B.A. J. Am. Acad. Dermatol. 21:610-613, 1989). The
major histopathologic alteration in the dermis of photoaged
10 skin underlying the wrinkling, sagging and yellow
discoloration characterizing photoaged skin is the
accumulation of large amounts of abnormal elastic material,
termed solar elastosis replacing the normally collagen-rich
dermis (Mera et al. Br. J. Dermatol. 117:21-27, 1987;
15 Bernstein et al. J. Invest. Dermatol. 103:182-186, 1994). One
of the primary events in the generation of solar elastosis is
elastin promoter activation (Bernstein et al. J. Invest.
Dermatol. 105, 269-273, 1995).

A transgenic mouse line expressing the human elastin
20 promoter linked to a chloramphenicol acetyltransferase
reporter gene (CAT) has been developed which models cutaneous
photoaging in an *in vivo* and *in vitro* system (Bernstein et al.
J. Invest. Dermatol. 105, 269-273, 1995). Although
phenotypically normal, the cells in these mice possess the
25 human elastin promoter/CAT construct, allowing elastin
promoter activity to be measured in response to stimuli such
as ultraviolet radiation (UV). These mice, and fibroblasts
cultures derived from their skin, have been demonstrated to
provide a rapid and sensitive means of identifying compounds
30 capable of inhibiting cutaneous photodamage (Bernstein et al.
J. Invest. Dermatol. 105, 269-273, 1995; Bernstein et al.
Photochem. Photobiol. 64:369-74, 1996; Bernstein et al. J. Am.
Acad. Dermatol. 37:725-729, 1997).

- 2 -

Among the various mechanisms by which UV damages skin is the generation of reactive oxygen species (Miyachi, Y. J. Dermatol. Sci. 9:79-86, 1995). Reactive oxygen species may form immediately as a result of UV exposure, or result from the inflammatory response which often follows UV-induced injury. Although the erythema of a sunburn is clinical evidence of damage from UV, an inflammatory infiltrate may be evident histopathologically even in the absence of erythema, and may result in continued exposure of the dermis to free radicals, days after the UV-induced damage has occurred (Kligman, A. M. JAMA 210:2377-2380, 1969; Lavker et al. J. Am. Acad. Dermatol. 32:53-62, 1995). The role of free radicals in cutaneous photodamage has been well documented (Ranadive, N.S. and Menon, I.A. Pathol. Immunopathol. Res. 5:118-139, 1986; Miyachi, Y and Imamura, S. Photodermatol. Photoimmunol. Photomed. 7:49-50 1990; Miyachi, Y. J. Dermatol. Sci. 9:79-86, 1995; and Peak et al. Photochem. Photobiol. 54:197-203, 1991). UV-induced free radical generation in skin has been demonstrated (Peak et al. Photochem. Photobiol. 54:197-203, 1991; and Norins, A.L. J. Invest. Dermatol. 39: 445-448, 1962). In addition, some enzymes which protect against oxidative damage, such as superoxide dismutase and catalase, are depleted after UV exposure (Pence, B.C. and Naylor, M.F. J. Invest. Dermatol. 95:213-216, 1990; Maeda et al. Photochem. Photobiol. 54:737-740, 1991; Shindo, Y and Hashimoto, T. J. Dermatol. Sci. 14:225-232, 1997), and antioxidants that scavenge free radicals have demonstrated protection against UV (DeRios et al. J. Invest. Dermatol. 70:123-125, 1975; and Bissett et al. J. Soc. Cosmet. Chem. 43:85-92, 1992). Investigators have recently demonstrated elastin mRNA production in response to free radicals generated using a xanthine and xanthine oxidase system *in vitro*, providing evidence for the role of oxidative stress in the generation of solar elastosis (Kawaguchi et al. Free Radical Biol. Med. 23:162-165, 1997).

- 3 -

It has now been demonstrated that reactive oxygen species stimulate elastin production at the promoter level in fibroblasts derived from a transgenic mouse model of cutaneous photoaging. Further, the ability of an agent known to protect against oxidative damage to inhibit stimulation of elastin production in this system has also been demonstrated. Accordingly, the present invention relates to an in vitro system and method for identifying agents capable of protecting against oxidative damage via a mouse fibroblast culture derived from a transgenic mouse capable of expressing human elastin promoter and a means for generating reactive oxygen species within the mouse fibroblast cultures.

Summary of the Invention

An object of the present invention is to provide an in vitro system for identifying agents capable of inhibiting or preventing oxidative damage comprising a mouse fibroblast culture derived from a transgenic mouse capable of expressing human elastin promoter and a means for generating reactive oxygen species within the mouse fibroblast culture.

A method of identifying agents capable of inhibiting or preventing oxidative damage using this system is also provided.

Detailed Description of the Invention

Oxidative damage may play a greater role in dermal, as compared to epidermal, damage from UV. Thus the generation of photoaging, clinically evident as wrinkling and sagging of skin, may result more from free radical-induced mechanisms than UV-induced skin cancers which originate in the epidermis. Evidence for this includes the greater sensitivity of fibroblasts to free radical-induced damage as compared to keratinocytes (Applegate, L.A. and Frenk, E. Photodermatol. Photoimmunol. Photomed. 11:95-101, 1995; Moysan et al.

- 4 -

Photodermatol. Photoimmunol. Photomed. 11:192-197, 1995; Masaki, H. and Sakurai, H. J. Dermatol. Sci. 14:207-216, 1997), and the fact that circulating inflammatory cells which produce free radicals course through the dermis and less frequently invade the epidermis. Also the longer wavelengths of UV, which produce less direct DNA damage (Setlow, R.B. Science 153:379-386, 1966) but may exert their deleterious effects mainly through oxidative mechanisms, penetrate more deeply into skin, depositing much of their energy in the dermis. Thus, free radical mechanisms of damage may be the primary means by which UVA-induced photoaging takes place.

A number of effective sunscreens for blocking UVB are currently on the market, and increasing amounts of UVA protection are being incorporated into sunscreens to obtain higher sun protection factors. Further improvements are likely to result from incorporating effective free radical scavengers into currently available sunscreens. Accordingly, there is a need for a system of identifying agents which inhibit or prevent oxidative damage from the sun.

U.S. Patent 5,648,061 discloses a transgenic mouse model which permits investigation of human elastin promoter activity in response to ultraviolet irradiation both *in vivo* by direct irradiation of mouse skin, and *in vitro* by irradiation of dermal fibroblasts grown from skin explants. It has now been demonstrated that generation of reactive oxygen species in these dermal fibroblasts via a hypoxanthine and xanthine oxidase system results in a 6-fold increase in elastin promoter activity. Further, this increase can be eliminated by the addition of catalase, an enzyme known to protect against oxidative damage. Accordingly, incorporation of a means for generating reactive oxygen species such as a hypoxanthine and xanthine oxidase system within these mouse fibroblast cultures results in a sensitive system for evaluating agents which may prevent oxidative damage. Using this system agents which may protect against the oxidative

- 5 -

damage resulting from UV exposure may be rapidly screened, and promising candidates identified for further study and eventual incorporation into sunscreens.

A series of experiments were performed with this new
5 system...

In a first set of experiments, the optimum time span for incubation of fibroblasts, derived from the skin of transgenic mice, with a hypoxanthine and xanthine oxidase system was determined by exposing cells to a hypoxanthine and xanthine
10 oxidase system for increasing amounts of time, and determining CAT activity as outlined in Example 3 after a 24 hour incubation. CAT activity increased steadily until a peak occurred after 90 minutes of incubation. Longer incubation times resulted in excessive cell toxicity and a corresponding
15 decrease in CAT activity. Thus, a 90 minute incubation time for cells to be in contact with hypoxanthine and xanthine oxidase was selected for further studies.

The addition of hypoxanthine and xanthine oxidase to fibroblast cultures for 90 minutes increased human elastin
20 promoter activity as determined by CAT assay to 6.0 ± 0.6 -fold (mean \pm sem) that of untreated control cells. The addition of 10,000 U/ml of catalase just prior to hypoxanthine and xanthine oxidase exposure fully eliminated this increase. Catalase-treated cells exposed to hypoxanthine and xanthine
25 oxidase demonstrated no increase over control cells, with a mean of 1.0 ± 0.1 -fold of untreated controls. Trypan blue exclusion demonstrated less than 15% toxicity in cells treated with hypoxanthine/xanthine oxidase and hypoxanthine/xanthine oxidase plus catalase.

30 Accordingly, these mouse fibroblast cultures which express the human elastin promoter and comprise a means for generation of reactive oxygen species such as a hypoxanthine and xanthine oxidase system provide a useful system for identifying agents capable of protecting against oxidative
35 damage. Test agents suspected of providing protection against

- 6 -

oxidative damage can be added to the mouse fibroblast culture prior to addition of the means for generation of reactive oxygen species. The means for generating reactive oxygen species is then added and human elastin promoter activity is determined in the mouse fibroblast culture after a selected time period, preferably 90 minutes for a hypoxanthine and xanthine oxidase system. In a preferred embodiment, elastin promoter activity is determined by measuring expression of the reporter gene, i.e. the CAT activity, of the mouse fibroblast culture. Human elastin promoter activity in the mouse fibroblast culture exposed to the test agent is then compared to elastin promoter activity in a control fibroblast culture not exposed to the test agent but still exposed to the means for generating reactive oxygen species. Agents providing protection against oxidative damage are identified as those test agents which decrease human elastin promoter activity in the mouse fibroblast culture exposed to the test agent and the means for generating reactive oxygen species as compared to the control fibroblast culture.

The following nonlimiting examples are provided to further illustrate the present invention.

Examples

Example 1: Fibroblast Cultures Expressing the Human Elastin Promoter

Fibroblasts derived from the skin of a homozygous line of transgenic mice expressing the 5.2-kb human elastin promoter, linked to a CAT reporter gene which enables measurement of elastin promoter activation, as previously described (Bernstein et al. J Invest Dermatol 105, 269-273, 1995; and Bernstein et al. Photochem Photobiol 64:369-74, 1996) were utilized. Although phenotypically normal, these mice express the human elastin promoter when assayed for CAT activity (Hsu-Wong et al. J. Biol. Chem. 269: 18072-18075,

- 7 -

1994; Bernstein et al. J Invest Dermatol 105, 269-273, 1995; and Bernstein et al. Photochem Photobiol 64:369-74, 1996).

Fibroblast cultures were established from the skin of transgenic mice by explanting tissue specimens onto plastic tissue culture dishes and allowing cells to migrate to the area of the dish surrounding the explants. The primary cultures were maintained in Dulbecco's modified Eagle's medium (DMEM) supplemented with 10% fetal calf serum (FCS), 2 mM L-glutamine and antibiotics, at 37°C. The primary cell cultures were passaged by trypsinization, and the subcultures in passages three or four were exposed to hypoxanthine/ xanthine oxidase.

Example 2: Exposure to free radicals generated by hypoxanthine/xanthine oxidase

DMEM with 10% FCS was removed, cells were rinsed in phosphate buffered saline (PBS), and DMEM was replaced without the addition of FCS. Both 500 μ M hypoxanthine (Sigma Chemical Co., St. Louis, MO) and 80 mU/ml xanthine oxidase (Sigma Chemical Co., St. Louis, MO) were then added to fibroblast cultures which were incubated for 90 minutes at 37°C. The concentrations of hypoxanthine and xanthine oxidase were selected based on previous work by Mitchell et al. (Biochemistry 29:2802-2807, 1990). The optimum time span for incubation of cells with hypoxanthine/xanthine oxidase was determined by exposing cells to hypoxanthine/xanthine oxidase for 15, 30, 60, 90 and 120 minutes and determining CAT activity as outlined in Example 3. After exposure to hypoxanthine/xanthine oxidase, cells were rinsed in PBS and incubated in DMEM with FCS for 24 hours, which is the time maximal promoter activation was determined to occur after exposure to hypoxanthine/xanthine oxidase and then harvested for determination of CAT activity (Hsu-Wong et al. J. Biol. Chem. 269: 18072-18075, 1994; Bernstein et al. J Invest

- 8 -

Dermatol 105, 269-273, 1995; and Bernstein et al. Photochem Photobiol 64:369-74, 1996). Control cells were treated in an identical fashion without the addition of hypoxanthine/xanthine oxidase.

5 In addition to hypoxanthine/xanthine oxidase treatment alone, cells were also treated with hypoxanthine/xanthine oxidase plus 10,000 U/ml of catalase (Sigma Chemical Co., St. Louis, MO) co-incubated for 90 minutes, and harvested as outlined above 24 hours following treatment. Fibroblasts from
10 mice representing the same litter were used for any given experiment. Four dishes of cells were used for each experimental condition (control, hypoxanthine/xanthine oxidase, and hypoxanthine/xanthine oxidase+catalase), and experiments were repeated in duplicate, yielding a total of
15 eight values for each experimental condition.

The effect of hypoxanthine/xanthine oxidase and hypoxanthine/xanthine oxidase+catalase on cell viability was determined using the trypan blue (Sigma Chemical Co., St. Louis, MO) exclusion method (Ausubel et al. Short protocols
20 in molecular biology. John Wiley & Sons, Inc., 2nd ed., New York, 1992 p.11-24), and a paired t-test analysis was performed for statistical evaluation of the data.

Example 3: CAT Assay

To measure the expression of the human elastin
25 promoter/CAT reporter gene construct in the skin of transgenic mice and in fibroblast cultures established from these animals, CAT activity was determined. For extraction of the CAT from skin, the specimens were homogenized in 0.25 Tris-HCl, pH 7.5, using a tissue homogenizer (Brinkmann
30 Instruments, Inc. Westbury, NY). The homogenates were centrifuged at 10,000 X g for 15 minutes at 4°C and the protein concentration in the supernatant determined by a commercial protein assay kit (Bio-Rad Laboratories, Richmond, CA). Aliquots of the supernatant containing 100 µg of protein

- 9 -

were used for assay of CAT activity by incubation with [14 C] chloramphenicol in accordance with well-known procedures. The acetylated and non-acetylated forms of radioactive chloramphenicol were separated by thin-layer chromatography and CAT activity was determined by the radioactivity in the acetylated forms as a percent of the total radioactivity in each sample.

- 10 -

What is claimed is:

1. An *in vitro* system for identifying agents capable of inhibiting or preventing oxidative damage comprising:
 - a mouse fibroblast culture derived from a transgenic mouse capable of expressing human-elastin promoter; and
 - a means for generating reactive oxygen species within the mouse fibroblast culture.
2. A method for identifying agents capable of inhibiting or preventing oxidative damage comprising:
 - 10 adding a test agent suspected of providing protection against oxidative damage to a mouse fibroblast culture derived from a transgenic mouse capable of expressing human elastin promoter;
 - adding a means for generation of reactive oxygen species
 - 15 to the mouse fibroblast culture;
 - determining human elastin promoter activity in the mouse fibroblast culture exposed to the test agent after a selected time period; and
 - comparing the determined human elastin promoter activity
 - 20 in the mouse fibroblast culture exposed to the test agent to human elastin promoter activity in a control fibroblast culture wherein a decrease in the determined human elastin promoter activity is indicative of the test agent inhibiting or preventing oxidative damage.

Docket No.
BERN-0045

#3

Declaration and Power of Attorney For Patent Application

English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

System and Method for Evaluating Agents which Prevent Oxidative Damage

the specification of which

(check one)

☐ is attached hereto.

☒ was filed on 22 February 2000 as United States Application No. or PCT International Application Number PCT/US00/04438 and was amended on _____ (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)

Priority Not Claimed

_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/>
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/>
_____ (Number)	_____ (Country)	_____ (Day/Month/Year Filed)	<input type="checkbox"/>

I hereby claim the benefit under 35 U.S.C. Section 119(e) of any United States provisional application(s) listed below:

February 23, 1999

(Filing Date)

(Filing Date)

(Filing Date)

I hereby claim the benefit under 35 U. S. C. Section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. Section 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, C. F. R., Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

(Filing Date)

(Status)
(patented, pending, abandoned)

(Filing Date)

(Status)
(patented, pending, abandoned)

(Filing Date)

(Status)
(patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. *(list name and registration number)*



26259

PATENT TRADEMARK OFFICE

Send Correspondence to:

Direct Telephone Calls to: *(name and telephone number)*

Jane Massey Licata or Kathleen A. Tyrrell - (856) 810-1515

Full name of sole or first inventor

Eric F. Bernstein

Sole or first inventor's signature

Date

8/20/01

Residence

Wynnewood, Pennsylvania PA

Citizenship

US

Post Office Address

1321 Grennox Road

Wynnewood, Pennsylvania 19096

Full name of second inventor, if any

Second inventor's signature

Date

Residence

Citizenship

Post Office Address